

SDAŃSK UNIVERSITY 的 OF TECHNOLOGY

Subject card

Subject name and code	Robotics, PG_00059364								
Field of study	Mechanical Engineering								
Date of commencement of studies			Academic year of realisation of subject			2022/	2022/2023		
Education level	second-cycle studies		Subject group			Obligatory subject group in the field of study			
						Subject group related to scientific research in the field of study			
Mode of study	Part-time studies		Mode of delivery			at the university			
Year of study	1		Language of instruction			Polish	Polish		
Semester of study	1		ECTS credits		2.0				
Learning profile	general academic profile		Assessment form		assessment				
Conducting unit	Zakład Mechaniki, Wytrzymałości i Sterowania Złożonych Obiektów Technicznych -> Institute of Mechanics and Machine Design -> Faculty of Mechanical Engineering and Ship Technology								
Name and surname	Subject supervisor		dr inż. Yurii Tsybrii						
of lecturer (lecturers)	Teachers	dr inż. Yurii T	dr inż. Yurii Tsybrii						
Lesson types and methods of instruction	Lesson type	Lecture	Tutorial	Laboratory	Projec	t	Seminar	SUM	
	Number of study hours	9.0	0.0	9.0	9.0 0.0 0.0		0.0	18	
	E-learning hours included: 0.0								
Learning activity and number of study hours	Learning activity	Participation in didactic classes included in study plan		Participation in consultation hours		Self-study		SUM	
	Number of study hours	18		4.0		28.0		50	
Subject objectives	The aim of the lecture the robots and manip The aim of the course operation of industria	ulators. These e is to familiariz	concern the m	ethodology, m	ethods,	modelir	ig and analys	sis.	

Learning outcomes	Course outcome	Subject outcome	Method of verification
	[K7_W05] possesses profound knowledge on the operation of complex systems and mechanical devices, including process equipment	The student has the ability to analyze basic research problems related to the mechanics, construction and mechatronics of combined advanced systems. These problems relate in particular to: Critical assessment of the knowledge of industrial robots. Industrial robots. Mobile robots. Industrial robots - Mobile robots. Industrial robots - research issues (phenomena, parameters, characteristics, features). Industrial robots – design and simulation. Industrial robots - construction and schematics. Industrial robots - operation, operational environment, missions, tasks.	[SW3] Assessment of knowledge contained in written work and projects [SW2] Assessment of knowledge contained in presentation [SW1] Assessment of factual knowledge
	[K7_W06] possesses organized, profound knowledge necessary for designing and optimization of complex technological processes, modelling and calculations using numerical methods, knows modern manufacturing methods and tools for designing manufacturing processes of machines, devices, their elements and components	The student has the ability to analyze basic issues related to the research, design and operation of industrial robots in the field of theory and solve simple tasks and practical problems. This includes the topics listed in the objective and item sheet. The student is able to work in a group, observing all the rules that determine professionalism.	[SW3] Assessment of knowledge contained in written work and projects [SW2] Assessment of knowledge contained in presentation [SW1] Assessment of factual knowledge
	[K7_U05] is able to plan and conduct the experimental research determining the parameters of a device or system, assesses the usability and correctly selects methods and tools, is able to interpret the results and estimate the measurement errors and is able to apply computer systems to simulate the operation of a machine or technology	The student has the ability to solve basic problems related to the research, design and operation of industrial robots, in terms of assessing the functionality, performance and safety of industrial robots, including performing simple engineering tasks and experiments. The student has the ability to analyze the basic issues related to the research, design and operation of industrial robots, issues of mechatronics, in the field of theory and solution of the practical problems, i.e. the selection of methods and tools. This includes the topics listed in the objective and item sheet.	[SU5] Assessment of ability to present the results of task [SU4] Assessment of ability to use methods and tools [SU3] Assessment of ability to use knowledge gained from the subject [SU2] Assessment of ability to analyse information [SU1] Assessment of task fulfilment

Subject contents	During the lectures the following problems concerning the robotics will be presented:				
	- fundamentals of robotics				
	- robots				
	- robots and manipulators				
	- robots and manipulators - methods of solutions concernig the applied mechanics and mechatronics				
	- robots and manipulators - classification				
	- manipulators and grippers - classification				
	- sources of energy supply for robots				
	- robotic drives				
	- robotic sensors				
	- advanced simulation of robot operations				
	- applications of robots				
	- Industry 4.0				
Prerequisites and co-requisites	The student should have basic information in the field of physics and applied mathematics, mathematical analysis, numerical methods, solid state mechanics, including kinetics and dynamics, construction and construction of complex technical objects, technical drawing and the basics of programming as well as mechatronics and automation.				
Assessment methods	Subject passing criteria	Passing threshold	Percentage of the final grade		
and criteria	half term exam, final exam	56.0%	100.0%		
Recommended reading	Basic literature	Tchon K., Muszynski R. Robotyka: Notatki do wykładów z dziedziny automatyki i robotyki, Wrocław 2018. Craig J.J. Wprowadzenie do robotyki. Mechanika i sterowanie, Warszawa 1995.			
	Jakubiak J., Muszynski R., Narzędzia kom Modelowanie kinematyki i dynamiki, Wroch				
		Kalicka R. Podstawy automatyki i robotyki. Wydawnictwo Politechniki Gdańskiej, Gdańsk 2016.			
	Supplementary literature	AUVSI/ONR,2007. Engineering Primer Document for the Autonomous Underwater Vehicle (AUV) Team Competition Association for Unmanned Vehicle Systems International (AUVSI) US Navy Office of Naval Research (ONR), Version 01 - July 2007.			
		Szulist N., Gerigk M.K., 2015. Metodyka nadawania cech stealth małym bezzałogowym pojazdom wodnym. Logistyka, nr 4, Poznań 2015.			
	eResources addresses	Adresy na platformie eNauczanie:			

Levample questions/ tasks being completed 1. The mobile robot is a) a technical device designed to perform locomotive functions b) an automatic machine, which assists a human standing, waiking or similar machine operation using one, two or more flegs and feet, and a single fleg of a 'waiking' machine c) integration of naturally different construction systems: mechanisms, electrical circuits and software d) a technical device designed to perform locomotion functions of animals and insects with limbs or legs 2. The asynchronous motor has a) 3 phases b) 2 phases c) 1 phase d) 4 phases c) 1 phase c) performagnetic core c) more flegs the inductance in the inductive position sensor is c) performagnetic core c) the core c) performagnetic core c) performag	Example issues/	Quiz:
tasks being completed 1. The mobile robot is a) a technical device designed to perform locomotive functions b) an automatic machine, which assists a human standing, walking or similar machine operation using one, two or more lege' and 'feet', and a single 'leg' of a 'walking' machine c) integration of naturally different construction systems: mechanisms, electrical circuits and software d) a technical device designed to perform locomotion functions of animals and insects with limbs or legs 2. The asynchronous motor has a) 3 phases b) 2 phases c) 1 phase d) 4 phases d) 4 phases d) 5 phases c) 1 phase d) 4 phases d) 6 promagnetic core		
 1. The mobile robot is a) a technical device designed to perform locomotive functions b) an automatic machine, which assists a human standing, waiking or similar machine operation using one, two or more legs and fleet, and a single leg of a waiking machine c) integration of naturally different construction systems: mechanisms, electrical circuits and software d) a technical device designed to perform locomotion functions of animals and insects with limbs or legs 2. The asynchronous motor has a) 3 phases b) 2 phases c) 1 phase d) 4 phases 3. The part that changes the inductance in the inductive position sensor is a) body b) coll c) tube d) ferromagnetic core 	tasks being completed	
 a) a technical device designed to perform locomotive functions b) an automatic machine, which assists a human standing, walking or similar machine operation using one, two or more flegs' and fleet', and a single fleg' of a 'walking' machine c) Integration of naturally different construction systems: mechanisms, electrical circuits and software d) a technical device designed to perform locomotion functions of animats and insects with limbs or legs 2. The asynchronous motor has a) 3 phases b) 2 phases c) 1 phase d) 4 phases d) 4 phases d) 4 phases i) 5 poll c) tube d) ferromagnetic core 	tasks being completed	
 a) a technical device designed to perform locomotive functions b) an automatic machine, which assists a human standing, walking or similar machine operation using one, two or more flegs' and fleet', and a single fleg' of a 'walking' machine c) Integration of naturally different construction systems: mechanisms, electrical circuits and software d) a technical device designed to perform locomotion functions of animats and insects with limbs or legs 2. The asynchronous motor has a) 3 phases b) 2 phases c) 1 phase d) 4 phases d) 4 phases d) 4 phases i) 5 poll c) tube d) ferromagnetic core 		
 a) a technical device designed to perform locomotive functions b) an automatic machine, which assists a human standing, walking or similar machine operation using one, two or more flegs' and fleet', and a single fleg' of a 'walking' machine c) Integration of naturally different construction systems: mechanisms, electrical circuits and software d) a technical device designed to perform locomotion functions of animats and insects with limbs or legs 2. The asynchronous motor has a) 3 phases b) 2 phases c) 1 phase d) 4 phases d) 4 phases d) 4 phases i) 5 poll c) tube d) ferromagnetic core 		
 b) an automatic machine, which assists a human standing, walking or similar machine operation using one, two or more 'legs' and 'feet', and a single 'leg' of a 'walking' machine' c) integration of naturally different construction systems: mechanisms, electrical circuits and software d) a technical device designed to perform locomotion functions of animals and insects with limbs or legs 2. The asynchronous motor has a) 3 phases b) 2 phases c) 1 phase d) 4 phases 3. The part that changes the inductance in the inductive position sensor is a) body b) coil c) tube d) ferromagnetic core 		1. The mobile robot is
 b) an automatic machine, which assists a human standing, walking or similar machine operation using one, two or more 'legs' and 'feet', and a single 'leg' of a 'walking' machine' c) integration of naturally different construction systems: mechanisms, electrical circuits and software d) a technical device designed to perform locomotion functions of animals and insects with limbs or legs 2. The asynchronous motor has a) 3 phases b) 2 phases c) 1 phase d) 4 phases 3. The part that changes the inductance in the inductive position sensor is a) body b) coil c) tube d) ferromagnetic core 		
 b) an automatic machine, which assists a human standing, walking or similar machine operation using one, two or more 'legs' and 'feet', and a single 'leg' of a 'walking' machine' c) integration of naturally different construction systems: mechanisms, electrical circuits and software d) a technical device designed to perform locomotion functions of animals and insects with limbs or legs 2. The asynchronous motor has a) 3 phases b) 2 phases c) 1 phase d) 4 phases 3. The part that changes the inductance in the inductive position sensor is a) body b) coil c) tube d) ferromagnetic core 		a) a tradecia d'activa de sizo a de conforme la constitue fon effense
two or more 'legs' and 'feet', and a single 'leg' of a 'walking' machine c) integration of naturally different construction systems: mechanisms, electrical circuits and software d) a technical device designed to perform locomotion functions of animals and insects with limbs or legs 2. The asynchronous motor has a) 3 phases b) 2 phases c) 1 phase d) 4 phases d) 4 phases 3. The part that changes the inductance in the inductive position sensor is a) body b) coil c) tube d) ferromagnetic core		a) a technical device designed to perform locomotive functions
two or more 'legs' and 'feet', and a single 'leg' of a 'walking' machine c) integration of naturally different construction systems: mechanisms, electrical circuits and software d) a technical device designed to perform locomotion functions of animals and insects with limbs or legs 2. The asynchronous motor has a) 3 phases b) 2 phases c) 1 phase d) 4 phases d) 4 phases 3. The part that changes the inductance in the inductive position sensor is a) body b) coil c) tube d) ferromagnetic core		
d) a technical device designed to perform locomotion functions of animals and insects with limbs or legs 2. The asynchronous motor has a) 3 phases b) 2 phases c) 1 phase d) 4 phases 3. The part that changes the inductance in the inductive position sensor is a) body b) coil c) tube d) ferromagnetic core		 b) an automatic machine, which assists a human standing, walking or similar machine operation using one, two or more 'legs' and 'feet', and a single 'leg' of a 'walking' machine
2. The asynchronous motor has a) 3 phases b) 2 phases c) 1 phase d) 4 phases 3. The part that changes the inductance in the inductive position sensor is a) body b) coil c) tube d) ferromagnetic core		c) integration of naturally different construction systems: mechanisms, electrical circuits and software
a) 3 phases b) 2 phases c) 1 phase d) 4 phases 3. The part that changes the inductance in the inductive position sensor is a) body b) coil c) tube d) ferromagnetic core		d) a technical device designed to perform locomotion functions of animals and insects with limbs or legs
b) 2 phases c) 1 phase d) 4 phases 3. The part that changes the inductance in the inductive position sensor is a) body b) coil c) tube d) ferromagnetic core		2. The asynchronous motor has
c) 1 phase d) 4 phases 3. The part that changes the inductance in the inductive position sensor is a) body b) coil c) tube d) ferromagnetic core		a) 3 phases
d) 4 phases 3. The part that changes the inductance in the inductive position sensor is a) body b) coil c) tube d) ferromagnetic core		b) 2 phases
3. The part that changes the inductance in the inductive position sensor is a) body b) coil c) tube d) ferromagnetic core		c) 1 phase
a) body b) coil c) tube d) ferromagnetic core		d) 4 phases
a) body b) coil c) tube d) ferromagnetic core		
b) coil c) tube d) ferromagnetic core		3. The part that changes the inductance in the inductive position sensor is
c) tube d) ferromagnetic core		a) body
d) ferromagnetic core		b) coil
		c) tube
		d) ferromagnetic core
Work placement Not applicable	Work placement	Not applicable